

Head and Stem Combinations: CoCr Femoral Heads

- Indicates "Combination is approved by Zimmer, Inc."
- Indicates "Combination is not approved by Zimmer, Inc."

	12/14 Femoral Head, -3.5 to +7.0 Neck Length (VerSys System)	12/14 Femoral Head +10.5 Neck Length (VerSys system)	6 Degree Femoral Head	Continuum Bearing Head, Hi Carbon (12/14 taper)	Continuum Bearing Head, Metal Superpolished (12/14 taper)	Continuum J-Taper Head (Japan) (10/12 taper)	CoCr Head/DURASUL CoCr Head (12/14 taper)	CoCr Head/DURASUL CoCr Head (8/10 taper)	Tete Chrome-Cobalt Cone 12/14 D28/+8	DURUM Femoral component (no taper)	Metasul LDH (Large Diameter Head)	LDH Head Adapter (12/14 taper)	LDH Head Adapter (8/10 taper)	METASUL Head (8/10 taper)	METASUL eccentric head (12/14 taper)	METASUL Head (12/14 taper), -4, 0, +4, +8 Neck Length	METASUL Head (12/14 Taper) -3.5, 0, +3.5, +7 Neck Length	METASUL Head (12/14 Taper) 10:5 Neck Length
ACA stem	✓						✓				✓	✓			✓	✓	✓	
Acora cemented stem								✓			✓	✓			✓	✓	✓	
ALLOCLASSIC SLA and SL-64 stem†	✓						✓				✓	✓			✓	✓	✓	
ALLOCLASSIC SLL-Revision stem	✓						✓				✓	✓			✓	✓	✓	
ALLOCLASSIC stem	✓						✓				✓	✓			✓	✓	✓	
ALLOCLASSIC VARIALL SLV stem	✓						✓				✓	✓			✓	✓	✓	
ALLOCOR AN stem	✓						✓				✓	✓			✓	✓	✓	
Anatomic stem			✓															
Anatomique uncemented HA stem	✓						✓		✓		✓	✓			✓	✓	✓	
Apollo Hip System	✓						✓				✓	✓			✓	✓	✓	
APR Hip System	✓						✓				✓	✓			✓	✓	✓	
APS Natural-Hip System	✓	✓					✓				✓	✓			✓	✓	✓	✓
Avenir Stem	✓						✓				✓	✓			✓	✓	✓	
BEO stem	✓						✓				✓	✓			✓	✓	✓	
CDH stem PROTASUL-S30 (monoblock)																		
CLS SPOTORNO stem	✓						✓				✓	✓			✓	✓	✓	
Concept cemented stem								✓			✓		✓	✓				
Continuum Cobrex stem				✓	✓													
Continuum F-115 Hip stem				✓	✓													
Continuum F-117 Collarless Hip stem				✓	✓													
Continuum J-Taper stem						✓												
Continuum Proxilock stem (porous and HA coated)				✓	✓													
CPS uncemented stem	✓						✓				✓	✓			✓	✓	✓	
CPT (6 Deg, CoCr) stem			✓															
CPT (6 Deg, SST) stem																		
CPT 12/14 CoCr stem	✓	✓					✓				✓	✓			✓	✓	✓	✓
DSP / TPP / PDC							✓								✓	✓	✓	✓
Emeraude cemented stem							✓				✓	✓			✓	✓	✓	
Emeraude cementless Stem	✓						✓				✓	✓			✓	✓	✓	
Epoch stem	✓	✓					✓				✓	✓			✓	✓	✓	✓
ESKA 8/10 stem																		
ESKA 12/14 stem																		
Etoile cemented stem							✓				✓		✓	✓				
EXAFIT Primary stem							✓				✓		✓	✓				
EXAFIT Revision stem							✓				✓		✓	✓				
Fitmore Hip Stem	✓	✓					✓				✓	✓			✓	✓	✓	✓
FracSure Hip system	✓						✓				✓	✓			✓	✓	✓	✓
Heritage stem (XX-8095-XXX-XX)			✓															
Intermedia stem							✓		✓		✓	✓			✓	✓	✓	
Lamella stem	✓						✓		✓		✓	✓			✓	✓	✓	

† ALLOCLASSIC SLA and ALLOCLASSIC SL-64 stems cannot be used with VerSys 12/14 femoral heads 32,36, and 40 mm
Continued on Page 2

Head and Stem Combinations: CoCr Femoral Heads

- Indicates "Combination is approved by Zimmer, Inc."
- Indicates "Combination is not approved by Zimmer, Inc."

	12/14 Femoral Head, -3.5 to +7.0 Neck Length (VerSys System)	12/14 Femoral Head +10.5 Neck Length (VerSys system)	6 Degree Femoral Head	Continuum Bearing Head, Hi Carbon (12/14 taper)	Continuum Bearing Head, Metal Superpolished (12/14 taper)	Continuum J-Taper Head (Japan) (10/12 taper)	CoCr Head/DURASUL CoCr Head (12/14 taper)	CoCr Head/DURASUL CoCr Head (8/10 taper)	Tete Chrome-Cobalt Cone 12/14 D28/+8	DURUM Femoral component (no taper)	Metasul LDH (Large Diameter Head)	LDH Head Adapter (12/14 taper)	LDH Head Adapter (8/10 taper)	METASUL Head (8/10 taper)	METASUL eccentric head (12/14 taper)	METASUL Head (12/14 taper), -4, 0, +4, +8 Neck Length	METASUL Head (12/14 Taper) -3.5, 0, +3.5, +7 Neck Length	METASUL Head (12/14 Taper) 10.5 Neck Length
VerSys Epoch Stem	↙	↙					↙				↙	↙				↙	↙	↙
VerSys Epoch RNL Stem ***	↙	↙					↙				↙	↙				↙	↙	↙
VerSys System, collarless (except VerSys RM)**	↙	↙					↙				↙	↙				↙	↙	↙
VerSys RM stem**	↙	↙					↙				↙	↙				↙	↙	↙
VIRTEC stem	↙						↙				↙	↙			↙	↙	↙	↙
VIRTEC, Long stem	↙						↙				↙	↙			↙	↙	↙	↙
Wagner Cone prosthesis stem	↙						↙				↙	↙			↙	↙	↙	↙
Wagner SL Revision stem ****	↙						↙				↙	↙			↙	↙	↙	↙
Weber/Stühmer and Weber Curved stem	↙						↙				↙	↙			↙	↙	↙	↙
ZMR (Body)	↙	↙					↙				↙	↙			↙	↙	↙	↙

* REVITAN straight stems in 14mm diameter cannot be used with femoral heads longer than +4mm.
 ** VerSys Reduced Metaphyseal (RM) stems and VerSys Heritage CDH stems cannot be used with femoral heads longer than +7mm.
 *** VerSys Epoch RNL stems are not cleared for use with Metasul LDH or Metasul Heads in the United States.
 **** Wagner SL revision stem in 14mm and 15mm diameters cannot be used with femoral heads longer than +4mm.